


KEDLER BOWLS

—
Ordrenumre og målskitser
Order numbers and
dimension sketches










Varimixer

Varimixer A/S
Kirkebjerg Søpark 6
DK-2605 Brøndby
Denmark

P: +45 4344 2288
E: info@varimixer.com
www.varimixer.com



0842018



ORDER NO.	BESKRIVELSE / DESCRIPTION		A	B	C	D	E	TYPE
AR005-075-TS001	TEDDY - AR005	5,0 L	214	196		238		
01078	R10, RN10	9,9 L	256	230	1,25	328		1
RN20-75AM	RN20/12	12,2 L	280	240	1,25	370	130	1
RN20-75A2M	RN20/12	12,2 L	280	240	1,25		130	1A
RN20-75M	RN20,	20,3 L	310	311	1,5	397	201	1
RN20-75.1M	RN20	20,3 L	310	311	1,5	397	201	1-1
RN20-75.2M	RN20	20,3 L	313	311	1,5	391	201	1A
RN30-75AM	RN30/15, AR30/15	17,8 L	310	305	1,5	443	192	2
RN30-75A1M	RN30/15, AR30/15	17,8 L	310	305	1,5	443	192	2-1
RN30-75M	RN30, AR30	30,3 L	350	390	1,5	483	252	2
RN30-75.1M	RN30, AR30	30,3 L	350	390	1,5	483	252	2-1
W30-75AM	W30/15	17,8 L	310	280	1,5	443	166	4
W30-75M	W30	30,3 L	350	363	1,5	483	225	4
R40-75AM	R40/20, AR40/20	22,6 L	350	362	1,5	483	229	2
R40-75A1M	R40/20, AR40/20	22,6 L	350	362	1,5	483	229	2-1
R40-75M	R40, AR40	39,7 L	380	457	1,5	514	317	2
R40-75.1M	R40, AR40	39,7 L	380	457	1,5	514	317	2-1
W40-75AM	W40/20	22,6 L	350	335	1,5	483	202	4
W40-75M	W40	39,7 L	380	430	1,5	514	290	4
R60-75AM	R60/30, AR60/30	33 L	380	403	1,5	514	249	2
R60-75A1M	R60/30, AR60/30	33 L	380	403	1,5	514	249	2-1
R60-75M	R60, AR60	61 L	442	511	1,5	575	380	2
R60-75.1M	R60, AR60	61 L	442	511	1,5	575	380	2-1
W60-75AM	W60/30	33 L	380	372	1,5	514	218	4
W60-75M	W60	61,1 L	442	480	1,5	575	349	4
AR80-75AM	AR80/40	43 L	380	495	1,5	514	340	2
AR80-75M	AR80	80 L	500	515	2	645	375	2
AR80-75.1M	AR80	80 L	500	515	2	645	375	2-1
WR80-75M	WR80	80 L	500	482	2	645	341,5	4
WR80-75AM	WR80/40	43 L	380	455	1,5	514	301	4
RN100-75BM	RN100/40	43 L	380	495	1,5	514	274	2
RN100-75AM	RN100/60	61 L	442	511	1,5	575	328	2
RN100-75M	RN100	100,2 L	535	558	2	685	356,5	3
RN100-75.1M	RN100	100,2 L	535	558	2	685	356,5	3
WN100-75BM	WN100/40	43 L	380	455	1,5	514	238	4
WN100-75AM	WN100/60	61 L	442	480	1,5	575	285	4
AR140-75AM	AR140/80							
AR140-75M	AR140	142 L	590	608,5	2	734	400,5	5
AE140-75M	ERGO140		594	608	2	710	395	3
AR200-75AM	AR200/100							
AR200-75,2M	AR200	200,6 L	590	826	2	734	545,5	5

KODIAK

CR20-75M	CR20	22,4	350	286	1,8	467	210	1
CR20-75AM	CR20/12	12,9	281	247	1,8	433	182	1
CR30-75M	CR30	33,5	380,7	353	1,5	499	280,5	1
CR30-75AM	CR30/15	17,5	310	276,5	1,5	460	203,8	1

ÆLDRE MODELLER

PREVIOUS MODELS

ORDER NO.	BESKRIVELSE / DESCRIPTION		A	B	C	D	E	TYPE
AR5-75M	AR5							
R20-75AM	R20/12	12,2 L	281	240	1,25	370	156	1
R20-75M	R20	20,3 L	310	311	1,5	397	171	1
R20-75.1M	R20	20,3 L	310	311	1,5	397	171	1-1
UR27-75AM	R30/15	17,8 L	310	305	1,5	443	192	2
UR27-75A1M	R30/15	17,8 L	310	305	1,5	443	192	2-1
UR27-75M	R30	30,3 L	335	442	1,5	468	252	2
UR27-75.1M	R30	30,3 L	335	442	1,5	468	252	2-1
R100-75AM	R100/40	43 L	380	495	1,5	514	286	2
R100-75A1M	R100/40	43 L	380	495	1,5	514	286	2-1
R100-75M	R100	100,5 L	500	633	2	645	412	2
R100-75.1M	R100	100,5 L	500	633	2	645	412	2-1
R100-75BM	R100/80	80 L	500	593	2	645	412	2
W140-75M	W140Q	132 L	535	716	2	686	446	3
R150-75AM	R150/70	69,4 L	500	465	2	644	338	2
R150-75A1M	R150/70	69,4 L	500	465	2	644	338	2-1
R150-75M	R150	155,4 L	590	696	2	734	440	2
R150-75.1M	R150	155,4 L	590	696	2	734	440	2-1
R150-75BM	R150/200	200,6 L	590	861	2	734	540	2
R150-75B1M	R150/200	200,6 L	590	861	2	734	540	2-1

