


SPARTEL FLAT BEATER

—
Ordrenumre og målskitser
Order numbers and
dimension sketches



Varimixer


Varimixer A/S
Kirkebjerg Søpark 6
DK-2605 Brøndby
Denmark

P: +45 4344 2288
E: info@varimixer.com
www.varimixer.com


DK

EN


0842018



TYPE 1
aluminium
aluminum




TYPE 2
aluminium
aluminum



TYPE 3
rustfri
stainless


TYPE 3-1
syrefast
acidproof

TYPE 3-2
fortinnet
tinned



TYPE 4
rustfri
stainless


TYPE 4-1
syrefast
acidproof




TYPE 5
aluminium
aluminum

TYPE 5-1
rustfri
stainless


TYPE 5-2
syrefast
acidproof




TYPE 6
aluminium
aluminum



TYPE 7
aluminium
aluminum



TYPE 8
aluminium
aluminum



TYPE 9
rustfri
stainless

TYPE 9-1
syrefast
acidproof

ORDER NO.	BESKRIVELSE / DESCRIPTION	A	B	C	D	TYPE
AR005-027-TD001	TEDDY					
CR10-27M	RN10			280	158	8
RN20-27M	RN20					
RN20-27MS	USA					
RN20-27AM	RN20/12	20	259	294.5	184	2
RN20-27AM	RN20	20			184	4
RN20-27A1M	RN20	20			184	4-1
R27-27AM	R30/15, RN30/15, AR30/15	25	327.5	367	199	2
R27-27A2M	R30/15, RN30/15, AR30/15	25	327.5	367	199	3
R27-27A3M	R30/15, RN30/15, AR30/15	25	327.5	367	199	3-1
RN30-27.2M	RN30, AR30	25	386.5	425	238	3
RN30-27.1M	RN30, AR30	25	386.5	425	238	3-1
R40-27AM	R40/20, AR40/20	30	363.5	417	225	2
R40-27A2M	R40/20, AR40,20	30	363.5	417	225	4
R40-27A1M	R40/20, AR40,20	30	363.5	417	225	4-1
R40-27.2M	R40, AR40	30	451.5	505	255	3
R40-27.1M	R40, AR40	30	451.5	505	255	3-1
R60-27A2M	R60/30, AR60/30	35	398.5	455	255	4
R60-27A1M	R60/30, AR60/30	35	398.5	455	255	4-1
R60-27.2M	R60, AR60	35	529.2	593	314.5	3
R60-27.1M	R60, AR60	35	529.2	593	314.5	3-1
R100-27BM	R100/80, AR80	35	574	634	345,5	7
R100-27B2M	R100/80, AR80	35	574	634	345,5	3
R100-27B1M	R100/80, AR80	35	574	634	345,5	3-1
R100-27B3M	R100/80, AR80	35	574	634	345,5	3-2
RN100-27BM	RN100/40, AR80/40	35	525	593	225	7
RN100-27B2M	RN100/40, AR80/40	35	525	593	225	3
RN100-27AM	RN100/60	35	583	638	288	7
RN100-27A2M	RN100/60	35	583	638	288	3
RN100-27A1M	RN100/40,	35	525	593	225	3-1
RN100-27M	RN100	35	633	685	380.5	7
RN100-27.2M	RN100	35	633	685	380.5	3
RN100-27.1M	RN100	35	633	685	380.5	3-1

KODIAK

CR20-27.2M	CR20	20	282,5	319	249	3
CR20-27A2M	CR20/12	20	253,5	291	180	4
CR30-27.4M	CR30	25	342	387	278	3
CR30-27.4AM	CR30/15	25	273,2	318,2	206	3

ÆLDRE MODELLER

PREVIOUS MODELS

ORDER NO.	BESKRIVELSE / DESCRIPTION	A	B	C	D	TYPE
01070	R10			280	158	8
R20-27AM	R20/12	20	315	350.5	184	6
R20-27A2M	R20/12	20	315	350.5	184	4
R20-27M	R20, RN20	20	328	365.5	214	7
R20-27.2M	R20, RN20	20	328	365.5	214	4
R20-27.1M	R20, RN20	20	328	365.5	214	4-1
RN20-27M						
UR27-27M	R30	25	395	425	220	7
UR30-27.2M	R30	25	386.5	425	238	3
R100-27AM	R100/40	35	448.5	506	226	1
R100-27A2M	R100/40	35	448.5	506	226	3
R100-27M	R100	35	574	634	345.5	1
R100-27.2M	R100	35	574	634	345.5	3
R100-27.1M	R100	35	574	634	345.5	3-1
W140-27M	W140Q	35	720	775	380,5	7
R150-27AM	R150/70	25/40	613	713	316	5
R150-27A2M	R150/70	25/40	613	713	316	5-1
R150-27A1M	R150/70	25/40	613	713	316	5-2
R150-27M	R150	25/40	725	824	404	5
R150-27.2M	R150	25/40	725	824	404	5-1
R150-27.1M	R150	25/40	725	824	404	5-2
R150-27BM	R150/200	25/40	809	910	405	9
R150-27B1M	R150/200	25/40	809	910	405	9-1

Varimixer A/S

Kirkebjerg Søpark 6
DK-2605 Brøndby
Denmark

Phone: 43 44 22 88
info@varimixer.com
www.varimixer.com